

Histone H2A.Z (Acetyl Lys4) antibody [RM221]

Cat. No. GTX33591

宿主	Rabbit
克隆	Monoclonal
同种型	IgG
实验应用	WB, ICC/IF, ELISA
种属反应	Human

实验应用

应用说明

*最佳稀释倍数与浓度应由研究人员确认

Suggested dilution	Recommended dilution
WB	0.5 µg/mL - 2 µg/mL
ICC/IF	1 µg/mL - 2 µg/mL
ELISA	0.2 µg/mL - 1 µg/mL

以下为常规应用缩写的中文注解

WB: 免疫印迹

ICC/IF: 细胞染色

IHC-P: 石蜡切片

IHC-Fr: 冰冻切片


属性

形式	Liquid
存储溶液	PBS, 1% BSA, 50% Glycerol
保存剂	0.09% Sodium azide
存放说明	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
浓度	Batch dependent (Please refer to the vial label for the specific concentration.)
偶联	Unconjugated
注意事项	仅供实验室使用。不适用于人类或动物的任何临床, 治疗或诊断用途。不适合动物或人类食用。




For full product information, images and publications, please visit our [website](#).

產品圖片



GTX33591 Image


The GTX33591 reacts to Histone H2A.Z acetylated at Lysine 4 (K4ac). No cross reactivity with non-modified Lysine 4 or other acetylated Lysines in histone H2A.



GTX33591 WB Image

WB analysis of acid extracts from HeLa cells treated (+) or untreated (-) with sodium butyrate using GTX33591 Histone H2A.Z (Acetyl Lys4) antibody [RM221].

Dilution : 0.5µg/ml



GTX33591 ICC/IF Image

ICC/IF analysis of HeLa cells treated with sodium butyrate using GTX33591 Histone H2A.Z (Acetyl Lys4) antibody [RM221].

Red : Primary antibody

Green : Actin



For full product information, images and publications, please visit our [website](#).